

## Full References

### PAGES Newsletter 99-3

- [Allen and Huntley](#)
- [Bradbury](#)
- [Hoogiemstra and van 't Veer](#)
- [Mc Manus et al.](#)
- [Oldfield](#)
- [PAGES-REDIE](#)
- [Thouveny](#)
- [Tzedakis et al.](#)
- [Waelbroeck](#)

### Vostok (front page)

J. R. Petit, J. Jouzel, D. Raynaud, N. I. Barkov, J.-M. Barnola, I. Basile, M. Bender, J. Chappellaz, M. Davis, G. Delaygue, M. Delmotte, V. M. Kotlyakov, M. Legrand, V. Y. Lipenkov, C. Lorius, L. Pépin, C. Ritz, E. Saltzman & M. Stievenard, Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica, *Nature* 399, 429 - 436 (1999)

### Hoogiemstra and van 't Veer (p. 4-5)

1. Andriessen, P.A.M., Helmens, K.F., Hoogiemstra, H., Riezebos, P.A. & Van der Hammen, T. (1993). Absolute chronology of the Pliocene-Quaternary sediment sequence of the area of Bogotá, Colombia. *Quaternary Science Reviews*, 12: 483-501.
2. Boom, A., Cleef, A.M. & Hoogiemstra, H. (submitted). High altitude C4 grass ecosystems in the northern Andes: relicts from glacial conditions. *Journal of Vegetation Science*.
3. Helmens, K.F. (1990). Neogene-Quaternary geology of the high plain of Bogotá, Eastern Cordillera, Colombia (stratigraphy, paleoenvironments and landscape evolution) *Dissertationes Botanicae*, 163: 1-202.
4. Hoogiemstra, H. (1984). Vegetational and climatic history of the high plain of Bogotá, Colombia: a continuous record of the last 3.5 million years. *Dissertationes Botanicae*, 79: 1-138 (Also in: *The Quaternary of Colombia*, Vol. 10).
5. Hoogiemstra, H. (1989). Quaternary and Upper-Pliocene glaciations and forest development in the tropical Andes: evidence from a long high-resolution pollen record from the sedimentary basin of Bogotá, Colombia.

- Palaeogeography Palaeoclimatology Palaeoecology, 72: 11-26.
6. Hooghiemstra, H. & Cleef, A.M. (1995). Pleistocene climatic change and environmental and generic dynamics in the north Andean montane forest and paramo. In: Churchill, S.P. et al. (eds), Biodiversity and conservation of neotropical montane forests. The New York Botanical Garden, p. 35-49.
  7. Van 't Veer, R. & Hooghiemstra, H. (submitted). Montane forest evolution during the last 650,000 years in Colombia: a multivariate approach based on pollen record Funza-I. *Journal of Quaternary Science*.
  8. Van 't Veer, R., Ran, E.T.H., Mommersteeg, H.J.P.M. & Hooghiemstra, H. (1995). Multivariate analysis of the Middle and Late Pleistocene Funza pollen records of Colombia. *Mededelingen Rijks Geologische Dienst*, 52: 195-212.

### **Oldfield (p. 6-7)**

Chen, F.H., R. Wu, D. Pempeii and F. Oldfield (1995) Magnetic properties and particle size variations in the late Pleistocene and Holocene part of the Dadongling loess section near Xinning. *In Windblown sediments in the Quaternary Record*, Derbyshire ed., Quaternary Proceedings Vol. 4.

Chen F.H., J Bloemendal, J.M. Wang, J.J. Li and F. Oldfield (1997) High-resolution multi-proxy climate records from Chinese loess: evidence for rapid climatic changes over the last 75kyr. *Palaeogeography, palaeoclimatology, palaeoecology*, 130, 323-335.

Maher, B.A. and R. Thompson (1999) Palaeomonsoon 1: The magnetic record of palaeoclimate in the terrestrial loess and palaeosol sequences. In *Quaternary Climates and Environmental Magnetism*, B.A. Maher and R. Thompson eds, Cambridge University Press, pp 81-125.

### **Thouveny et al. (p. 8)**

F.C. Bassinot, L.D. Labeyrie, E. Vincent, X. Quidelleur, N.J. Shackleton, Y. Lancelot, Astronomical theory of climate and the age of the Brunhes-Matuyama reversal, *Earth Planet. Sci. Lett.* 16 (1995) 91-108.

de Beaulieu J.L. & M. Reille: "Pollen records from the Velay craters: A review and correlation of the Holsteinian Interglacial with isotopic stage 11", *Mededelingen Rijks Geologische Dienst*, 52, 59 - 70 (1995)

K.R. Ludwig, K.R. Simmons, B.J. Szabo, I.J. Winograd, J.M. Landwehr, A.C. Riggs, R.J. Hoffman, Mass-spectrometric Th-230, U-234, U-238 dating of the Devils Hole calcite vein. *Science* 258 (1992) 284-287.

Reille, M., C. Andrieu, J.L. De Beaulieu, P. Guenet and C. Goeury (1998): "A Long Pollen Record from Lac Du Bouchet, Massif Central, France: for the Period ca 325 to

100 ka BP (OIS 9c to OIS 5e)" *Quaternary Science Reviews*, 17, 1107-1123.

Reille, M. and J.L de Beaulieu: "History of the Wurm and Holocene vegetation in Western Velay (Massif Central, France): A Comparison of pollen Analysis from Three Corings at Lac Du Bouchet" *Review of Palaeobotany and Palynology*, 54, 233 - 248 (1988)

Reille, M. and J.L de Beaulieu: "Pollen analysis of a long upper Pleistocene continental sequence in Velay maar (Massif Central, France), *Palaeogeography, Palaeoclimatology, Palaeoecology*, 80, 35 - 48 (1990)

Reille, M. and J.L de Beaulieu: "Long Pleistocene Pollen Records from the Praclaux Crater, South-Central France, *Quaternary Research*, 44, 205 - 215 (1995)

\*S. Roger, G. Féraud, J.-L. de Beaulieu, N. Thouveny, C. Coulon, J.-J. Cochemé, V. Andrieu, T. Williams.  $^{40}\text{Ar}/^{39}\text{Ar}$  dating on tephra of the Velay Maars (France) : Implications for the late Pleistocene proxi-climatic record, *Earth and planetary Science Letters*, (1999).

N.J. Shackleton, N.G. Pisias, Atmospheric carbon dioxide , orbital forcing and climate, in *Geophysical Monograph* 32 (1985) 303-317.

N. Thouveny, J.-L. de Beaulieu, E. Bonifay, K.M. Creer, J. Guiot, M. Icole, S. Johnsen, J. Jouzel, M. Reille, T. Williams, D. Williamson, Climate variation in Europe over the past 140 kyr deduced from rock magnetism, *Nature* 371 (1994) 503-506.

E. Vogelsang, *Paleo-Ozeanographie des Europäischen Nordmeeres an Hand Stabiler Kohlenstoff- und Sauerstoffisotope. Berichte aus dem Sonderforschungsbereich 313. Sedimentation im europäischen Nordmeer*, 23, Universität Kiel.(1990) 1-136.

I.J Winograd, T.B. Coplen, J.M. Landwehr, A.C Riggs, K.R. Ludwig, B.J. Szabo, P.T. Kolesar, K.M. Revesz, Continuous 500,000-year climate record from vein calcite in Devils Hole, Nevada. *Science* 258 (1992) 255-260.

, and , and .

### **Waelbroeck (p. 9)**

Bassinot, F., L. Labeyrie, et al. (1994). The astronomical theory of climate and the age of the Brunhes-Matuyama magnetic reversal, *Earth and Planetary Science Letters* **126**: 91-108.

Labeyrie L., M. Labracherie, N. Gorfti, J.J. Pichon, J. Duprat, M. Vautravers, M. Arnold, J.C. Duplessy, M. Paterne, E. Michel, J. Caralp, and J.L. Turon (1996) Hydrographic changes of the Southern Ocean (south-east Indian sector) over the last 230 ka., *Paleoceanogr*, **11**: 57-76.

Lemoine F. (1998). Changements de l'hydrologie de surface de l'Océan Austral en relation avec les variations de la circulation thermohaline au cours des deux derniers cycles climatiques. .Doctorate thesis, University of Paris VI, October 1998.

Salvignac M.E. (1998). Variabilité hydrologique et climatique dans l'Océan Austral (secteur Indien) au cours du Quaternaire terminal. Essai de corrélation inter-hémisphérique. Doctorate thesis, University of Bordeaux I, April 1998.

Waelbroeck C., J. Jouzel, L. Labeyrie., C. Lorius, M. Labracherie, M. Stiévenard and N. Barkov (1995), Comparing the Vostok ice deuterium record and series from Southern Ocean core MD88-770 over the last two glacial-interglacial cycles, *Clim. Dyn.*, 12: 113-123.

Waelbroeck, C., L. Labeyrie, J.C. Duplessy, J. Guiot, M. Labracherie, H. Leclaire, and J. Duprat (1998), Improving past sea surface temperature estimates based on planktonic fossil faunas, *Paleoceanography* **13**, 272-283

### **Allen and Huntley (p. 10-12)**

Allen *et al.*, 1999, *Nature* 400, 740-743.

Prentice *et al.*, 1992, *Journal of Biogeography* 19, 117-134

Berger, 1978, *Quaternary Research* 9, 139-167

Martinson *et al.*, 1987, *Quaternary Research*, 27, 1-29

Bond *et al.*, 1992, *Nature*, 360, 245-249

Bond & Lotti, 1995, *Science* 276, 1005-1010

Grootes *et al.*, 1993, *Nature*, 366, 552-554

Dansgaard *et al.*, 1993, *Nature*, 364, 218-220

### **Bradbury (p. 11)**

Coplen, T.B, Winograd, I.J., Landwerhr, J.M., and Riggs, A.C., 1994, 500,000-year stable carbon isotope record from Devils Hole, Nevada: *Science*, v. 263, p. 361-365.

Smith, G.I., and J.L. Bischoff, editors, 1997, An 800,000-Year Paleoclimatic Record from Core OL-92, Owens Lake, Southeast California. Geological Society of America Special Paper 317.

**McManus et al. (p. 12-13)**

Andrews, J.T., 1998, Abrupt changes (Heinrich events) in late Quaternary North Atlantic marine environments: a history and review of data and concepts: *Journal of Quaternary Science*, v. 13, p. 3-16.

Be, A.W.H., 1977, An ecological, zoogeographic, and taxonomic review of Recent planktonic foraminifera, *in* Ramsay, A.T.S., ed., *Oceanic Micropaleontology*, Volume 1: San Diego, CA, Academic, p. 1-100.

Be, A.W.H., and Hamlin, W.H., 1967, Ecology of Recent planktonic foraminifera: *Micropaleontology*, v. 13, p. 87-106.

Be, A.W.H., and Tolderlund, D.S., 1971, Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian oceans, *in* Funnell, B.M., and Riedel, W.R., eds., *Micropaleontology of Oceans*: London, Cambridge University Press, p. 105-147.

Bond, G.C., and Lotti, R., 1995, Iceberg discharges into the North Atlantic on millennial time scales during the last glaciation: *Science*, v. 267, p. 1005-1010.

Bond, G.C., Broecker, W.S., Johnsen, S., McManus, J.F., Labeyrie, L., Jouzel, J., and Bonani, G., 1993, Correlations between climate records from North Atlantic sediments and Greenland ice: *Nature*, v. 365, p. 143-147.

Bond, G.C., Heinrich, H., Broecker, W.S., Labeyrie, L., McManus, J.F., Andrews, J.T., Huon, S., Jantschik, R., Clasen, S., Simet, C., Tedesco, K., Klas, M., Bonani, G., and Ivy, S., 1992, Evidence for massive discharges of icebergs into the Northern Atlantic ocean during the last glacial period: *Nature*, v. 360, p. 245-249.

Bond, G.C., Showers, W., Cheseby, M., Lotti, R., Almasi, P., deMenocal, P., Priore, P., Cullen, H., Hajdas, I., and Bonani, G., 1997, A pervasive millennial-scale cycle in North Atlantic Holocene and glacial climates: *Science*, v. 278, p. 1257-1266.

Broecker, W.S., Andree, M., Bonani, G., Wolfli, W., Oeschger, H., and Klas, M., 1988a, Can the Greenland climatic jumps be identified in records from ocean and land?: *Quaternary Research*, v. 30, p. 1-6.

Broecker, W.S., Andree, M., Wolfli, W., Oeschger, H., Bonani, G., Kennett, J., and Peteet, D., 1988b, The chronology of the last deglaciation: Implications to the cause of the Younger Dryas event: *Paleoceanography*, v. 3, p. 1-19.

Broecker, W.S., Bond, G.C., Klas, M., Clark, E., and McManus, J.F., 1992, Origin of the northern Atlantic's Heinrich events: *Climate Dynamics*, v. 6, p. 265-273.

Dansgaard, W., Johnsen, S.J., Clausen, H.B., Dahl-Jensen, D., Gundestrup, N., Hammer, C.U., Hvildberg, C.S., Steffensen, J.P., Sveinbjornsdottir, A.E., Jouzel, J., and Bond, G., 1993, Evidence for general instability of past climate from a 250-kyr

ice-core record: *Nature*, v. 364, p. 218-220.

Dansgaard, W., and Oeschger, H., 1989, Past environmental long-term records from the Arctic, *in* Oeschger, H., and Langway, C.C., eds., *The Environmental Record in Glaciers and Ice Sheets*: Chichester, UK, John Wiley and Sons Limited, p. 287-318.

Duplessy, J.C., Moyes, J., and Pujol, C., 1980, Deep water formation in the North Atlantic Ocean during the last ice age: *Nature*, v. 286, p. 479-482.

Duplessy, J.C., Delibrias, G., Turon, J.L., Pujol, C., and Duprat, J., 1981, Deglacial warming of the Northeastern Atlantic Ocean: correlation with the paleoclimatic evolution of the European continent: *Palaeogeography, Palaeoclimatology, and Palaeoecology*, v. 35, p. 121-144.

Emiliani, C., 1955, Pleistocene temperatures: *Journal of Geology*, v. 63, p. 539-578.

Fairbanks, R.G., 1989, A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep-ocean circulation: *Nature*, v. 342, p. 637-642.

Grootes, P.M., Stuiver, M., White, J.W.C., Johnsen, S., and Jouzel, J., 1993, Comparison of oxygen isotope records from the GISP2 and GRIP Greenland ice cores: *Nature*, v. 366, p. 552-554.

Heinrich, H., 1988, Origin and consequences of cyclic ice rafting in the Northeast Atlantic Ocean during the past 130,000 years: *Quatern. Res.*, v. 29, p. 143-152.

Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L., and Shackleton, N.J., 1984, The orbital theory of Pleistocene climate: support from a revised chronology of the marine 18O record, *in* Berger, A.L., ed., *Milankovitch and Climate, Part 1*: Reidel, The Netherlands, p. 269-305.

Jansen, E., Raymo, M.E., and Blum, P., 1996, *Proceedings of the Ocean Drilling Program*: College Station, TX, Ocean Drilling Program.

Johnsen, S.J., Clausen, H.B., Dansgaard, W., Fuhrer, K., Gundestrup, N., Hammer, C.U., Iversen, P., Jouzel, J., Stauffer, B., and Steffensen, J.P., 1992, Irregular glacial interstadials recorded in a new Greenland ice core: *Nature*, v. 359, p. 311-313.

Keigwin, L.D., 1996, The Little Ice Age and Medieval Warm Period in the Sargasso Sea: *Science*, v. 274, p. 1504-1508.

Keigwin, L.D., and Jones, G.A., 1989, Glacial-Holocene stratigraphy, chronology, and paleoceanographic observations on some North Atlantic sediment drifts: *Deep-Sea Research*, v. 36, p. 845-867.

Kipp, N.G., 1976, New transfer function for estimating past sea-surface conditions from sea-bed distribution of planktonic foraminiferal assemblages in the North

Atlantic, in M., C.R., and D., H.J., eds., Investigation of Late Quaternary Paleooceanography and Paleoclimatology, Volume Memoir 145: Boulder, The Geological Society of America, p. 3-42.

Labeyrie, L., Duplessy, J.-C., and Blanc, P.L., 1987, Variations in the mode of formation and temperature of oceanic deep waters over the past 125,000 years: *Nature*, v. 327, p. 477-482.

Labeyrie, L., Vidal, L., Cortijo, E., Paterne, M., Arnold, M., Duplessy, J.C., Vautravers, M., Labracherie, M., Duprat, J., Turon, J.L., Grousset, F., and van Weering, T., 1995, Surface and deep hydrology of the Northern Atlantic Ocean during the past 150 000 years: *Philosophical Transactions of the Royal Society of London, B*, v. 348, p. 255-264.

Lehman, S.J., and Keigwin, L.D., 1992, Sudden changes in North Atlantic circulation during the last deglaciation: *Nature*, v. 356, p. 757-762.

Martinson, D.G., Pisias, N.G., Hays, J.D., Imbrie, J., Moore Jr., T.C., and Shackleton, N.J., 1987, Age dating and the orbital theory of the ice ages; development of a high-resolution 0 to 300,000-year chronostratigraphy: *Quaternary Research*, v. 27, p. 1-29.

McManus, J.F., Bond, G.C., Broecker, W.S., Higgins, S.M., and Fleisher, M.Q., 1994, Heinrich events associated with glacial terminations: *EOS*, v. 74, p. 57.

McManus, J.F., Anderson, R.F., Broecker, W.S., Fleisher, M.Q., and Higgins, S.M., 1998, Radiometrically determined fluxes in the sub-polar North Atlantic during the last 140,000 years: *Earth and Planetary Science Letters*, v. 135, p. 29-43.

McManus, J.F., Oppo, D.W., and Cullen, J.L., 1999, A 0.5 million year record of millennial-scale climate variability in the North Atlantic: *Science*, v. 283, p. 971-975.

Milankovitch, M.M., 1941, Canon of insolation and the ice-age problem: Belgrade, Koniglich Serbische Akademie.

Oppo, D.W., Horowitz, M., and Lehman, S.J., 1997, Marine core evidence for reduced deep water production during Termination 2 followed by a relatively stable substage 5e: *Paleoceanography*, v. 12, p. 51-63.

Oppo, D.W., McManus, J.F., and Cullen, J.L., 1998, Abrupt climate events 500,000 to 340,000 years ago: Evidence from subpolar North Atlantic sediments: *Science*, v. 279, p. 1335-1338.

Pflaumann, U., Duprat, J., Pujol, C., and Labeyrie, L.D., 1996, SIMMAX: A modern analog technique to deduce Atlantic sea surface temperatures from planktonic foraminifera in deep-sea sediments: *Paleoceanography*, v. 11, p. 15-35.

Ruddiman, W.F., Sancetta, C.D., and McIntyre, A., 1977, Glacial/Interglacial response rate of subpolar North Atlantic waters to climatic change: The record in

oceanic sediments: *Philosophical Transactions of the Royal Society of London. B*, v. 280, p. 119-142.

Schrag, D.P., Hampt, G., and Murray, D.W., 1996, Pore fluid constraints on the temperature and isotopic composition of the glacial ocean: *Science*, v. 272, p. 1930-1932.

Shackleton, N.J., 1967, Oxygen isotope analyses and Pleistocene temperatures re-assessed: *Nature*, v. 215, p. 15-17. Shackleton, N.J., 1987, Oxygen Isotopes, Ice Volume and Sea Level: *Quaternary Science Reviews*, v. 6, p. 183-190.

Shackleton, N.J., Berger, A., and Peltier, W.R., 1990, An alternative astronomical calibration of the lower Pleistocene timescale based on ODP Site 677: *Transactions of the Royal Society of Edinburgh: Earth Sciences*, v. 81, p. 251-261.

Shackleton, N.J., and Opdyke, N.D., 1973, Oxygen isotope and paleomagnetic stratigraphy of Equatorial Pacific core V28-238: Oxygen isotope temperatures and ice volumes on a 10,000 and 100,000 year time scale: *Quatern. Res.*, v. 3, p. 39-55.

Tzedakis, P.C., Andrieu, V., de Beaulieu, J.-L., Crowhurst, S., Follieri, M., Hooghiemstra, H., Magri, D., Reille, M., Sadori, L., Shackleton, N.J., and Wijmstra, T.A., 1997, Comparison of terrestrial and marine records of changing climate of the last 500,000 years: *Earth and Planetary Science Letters*, v. 150, p. 171-176.

Venz, K.A., Hodell, D.A., Stanton, C., and Warnke, D.A., 1999, A 1.0 Myr record of Glacial North Atlantic Intermediate Water variability from ODP Site 982 in the northeast Atlantic: *Paleoceanography*, v. 14, p. 42-52.

### **Tzedakis et al. (p. 14-15)**

Tzedakis, et al. 1997 Comparison of terrestrial and marine records of changing climate of the last 500,000 years. *Earth and Planetary Science Letters* **150**, 171-176

1. M. Reille and J.-L. de Beaulieu, Pollen analysis of a long upper Pleistocene sequence in a Velay maar (Massif Central, France), *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 80, 35-48, 1990.
2. M. Reille, V. Andrieu, J.-L. de Beaulieu, P. Guenet and C. Goeury, A long pollen record from Lac du Bouchet, Massif Central, France: for the period ca. 325 to 100 ka BP (OIS9c to OIS 5e), *Quat. Sci. Rev.* 17, 1107-1123, 1998.
3. M. Reille and J.-L. de Beaulieu, Long Pleistocene pollen records from the Praclaux Crater, south-central France, *Quat. Res.* 44, 205-215, 1995.
4. M. Follieri, D. Magri and L. Sadori, 250,000-year pollen record from Valle di Castiglione (Roma), *Pollen Spores* 30, 329-356, 1988.
5. P.C. Tzedakis, Long-term tree populations in northwest Greece through multiple Quaternary climatic cycles, *Nature* 364, 437-440, 1993.
6. P.C. Tzedakis, Vegetation change through glacial-interglacial cycles: a long pollen



- sequence perspective, *Phil. Trans. R. Soc. Lond. B* 345, 403-432, 1994.
7. T.A. Wijmstra, Palynology of the first 30 metres of a 120 m deep section in Northern Greece, *Acta bot. Neerl.* 18, 511-527, 1969.
  8. T.A. Wijmstra and A. Smit, Palynology of the middle part (30-78 metres) of the 120 m deep section in Northern Greece (Macedonia), *Acta bot. Neerl.* 25, 297-312, 1976.
  9. T.A. Wijmstra and M.C. Groenhart, Record of 700,00 years vegetational history in Eastern Macedonia (Greece), *Rev. Acad. Colomb. Exactas, Físi. Nat.* 15, 87-98, 1984.
  10. J. Imbrie, J.D. Hays, D.G. Martinson, A. McIntyre, A.C. Mix, J.J. Morley, N.G. Pisias, W.L. Prell and N.J. Shackleton, The orbital theory of Pleistocene climate: support from a revised chronology of the marine 18O record, in: *Milankovitch and Climate*, A. Berger, J. Imbrie, J. Hays, G. Kukla, and B. Saltzman, B., eds, pp. 269-306, Dordrecht: Reidel, 1984.
  11. J. Guiot, A Pons, J.-L. de Beaulieu and M. Reille, A 140,000-year continental climate reconstruction from two European pollen records, *Nature* 338, 309-313, 1989.
  12. J.F. McManus, D.W. Oppo and J.L. Cullen, A 0.5-Million-year record of millennial-scale variability in the North Atlantic, *Science* 283, 971-975, 1999.

#### **PAGES-REDIE fellows (p. 16-17)**

Thamban, M., Rao, V.P., Schneider, R.R., Grootes, P.M., 1999. Glacial to Holocene fluctuations in hydrography and productivity along the southwestern continental margin of India. *Palaeogeography, Palaeoclimatology, Palaeoecology* (in Press).

Damnati, B., Holocene lake records in northern hemisphere Africa. *Journal of African Earth Science*. (in Press)