Reference list

PAGES news Vol. 21, No. 1 - March 2013

http://www.pages-igbp.org/products/newsletters/ref2013_1.pdf

Special Section: Investigating past interglacials: An integrative approach, p 2-36

Editorial, p 2 D. Dahl-Jensen, E. Capron and E.J. Stone

NEEM community members (2013) Eemian interglacial reconstructed from Greenland folded NEEM ice core strata, *Nature* 493: 489-494

Past4Future: Behind the Scenes

S. Verheyden and D. Genty, p 5 Lifting the veil on speleothem sampling

BiSpEem Project – Belspo (2012-2016) Bivalve-speleothem compared reconstruction of Eemian climate and environment of the Belgian coast in the context of ongoing global warming. Available at: http://www.naturalsciences.be/institute/structure/geology/gsb_website/research/environment/bispeem

Cruz Jr FW et al. (2005) Insolation-driven changes in atmospheric circulation over the past 116,000 years in subtropical Brazil, *Nature* 434: 63-66

Cuñat J et al. (2005) Portable instrument and analytical method using laser-induced breakdown spectrometry for in-situ characterization of speleothems in karstic caves, *Journal of analytical atomic spectrometry* 20: 295-300

Dandurand G et al. (2011) X-ray fluorescence microchemical analysis and autoradiography applied to cave deposits: speleothems, detrital rhythmites, ice and prehistoric paintings, *Géomorphologie: relief, processus, environnement* 4: 407-426

Drysdale, RN et al. (2009) Evidence for Obliquity Forcing of Glacial Termination II, *Science* 325: 1527-1531

Favalli M et al. (2011) Multiview 3D reconstruction in geosciences, *Computers and Geosciences* 44: 168-176

FFS (2005) La charte du spéléologue en 2005. Quelques exemples de chartes à l'étranger Available at: http://speleoclpa.free.fr/chartes/la_charte_du_speleo.htm

Fleitmann D, Spötl C (2008) Editorial: advances in speleothem research, PAGES news 16: 2

Fleitmann D et al. (2009) Timing and climatic impact of Greenland interstadials recorded in stalagmites from northern Turkey, *Geophysical Research Letters* 36, doi: 10.1029/2009GL040050

Genty D et al. (2003) Precise dating of Dansgaard-Oeschger climate oscillations in western Europe from stalagmite data, *Nature* 421: 833-837

Genty D (2008) Palaeoclimate Research in Villars Cave (Dordogne, SW-France), *International Journal of Speleology* 37: 173-191

Gewelt M (1985) Cinetique du concrétionnement dans quelques grottes belges. Apport des datations ¹⁴C et ²³⁰Th /²³⁴U, *Annales de la Société Géologique de Belgique* 108: 267-273

Hajri S et al. (2009) Analyse spatiale et morphologique d'une forêt de stalagmites par modélisation 3D dans le réseau d'Orgnac (Ardèche, France), *Karstologia* 53: 1-14

Mattey D et al. (2008) A 53 year seasonally resolved oxygen and carbon isotope record from a modern Gibraltar speleothem: Reconstructed drip water and relationship to local precipitation, *Earth and Planetary Science Letters* 269: 80-95

McMillan EA et al. (2005) Annual trace element cycles in calcite-aragonite speleothems: evidence of drought in the western Mediterranean 1200-1100 yr BP, *Journal of Quaternary Science* 20: 423-433

Plagnes V et al. (2002) A discontinuous climatic record from 187 to 74 ka from a speleothem of the Clamouse Cave (south of France), *Earth and Planetary Science Letters* 201: 87-103

Quinif Y (1992) Datation uranium/thorium d'une séquence stalagmitique du Pleistocène supérieur en Languedoc (le couloir blanc, Grotte de Clamouse), *Comptes Rendus de l'Académie des Sciences de Paris* 314: 1035-1042

Spötl C, Mattey D (2012) Scientific drilling of speleothems – a technical note, *International Journal of Speleology* 41: 29-34

SSS_SGH (2004) Code d'honneur de la spéléologie Suisse. Available at: http://www.speleo.ch/codedhonneur_fr.php

UIS (1997) UIS Code of Ethics for Cave Exploration and Science in Foreign Countries. Available at: http://www.uis-speleo.org/

UIS (2001) Addenda to the UIS Code of Ethics (Accepted in Brasilia, Brazil, 2001). Available at: http://www.uis-speleo.org/

Verheyden S et al. (2008) Monitoring climatological, hydrological and geochemical parameters in the Père Noël cave (Belgium): Implication for the interpretation of speleothem isotopic and geochemical time-series, *International Journal of Speleology* 37: 221-234

Wang Y et al. (2008) Millennial and orbital-scale changes in the East Asian Monsoon over the past 224,000 years, *Nature* 451: 1090-1093

J.P. Steffensen, p 6 Drilling a deep ice core at the NEEM site in Greenland

NEEM community members (2013) Eemian interglacial reconstructed from Greenland folded NEEM ice core strata, *Nature* 493: 489-494

R. Gersonde and M.-S. Seidenkrantz, p 8 Sampling marine sediment

Freudenthal T, Wefer G (2007) Scientific drilling with the sea floor drill rig MEBO, *Scientific Drilling* 5, doi: 10.22 04/iodp.sd.5.11.2007

Gersonde R (2012) The expedition of the research vessel "Sonne" to the subpolar North Pacific and the Bering Sea in 2009 (SO202-INOPEX), *Reports on Polar and Marine Research* 643, doi: 10013/epic.38996

Lancelot et al. (1990) *Proceedings of the Ocean Drilling Program, Initial Reports* 129, doi: 10.2973/odp.proc.ir.129.1990

E.J. Stone et al., p 10 Insights into paleoclimate modeling

Bonelli S et al. (2009) Investigating the evolution of major Northern Hemisphere ice sheets during the last glacial-interglacial cycle, *Climate of the Past* 5: 329-345

Claussen M et al. (2002) Earth system models of intermediate complexity: closing the gap in the spectrum of climate system models, *Climate Dynamics* 18: 579-586

Collins WD et al. (2006) The Community Climate System Model version 3 (CCSM3), *Journal of Climate* 19: 2122-2143

Easterbrook SM (2009) Engineering the software for understanding Climate Change, *Computing in Science and Engineering* 11: 65-74

Goosse H et al. (2010) Description of the Earth system model of intermediate 30 complexity LOVECLIM version 1.2, *Geoscientific Model Development* 3: 603-633

Gordon C (2000) The simulation of SST, sea ice extents and ocean heat transport in a version of the Hadley Centre coupled model without flux adjustment, *Climate Dynamics* 16: 147-168

Hargreaves JC (2010) Skill and uncertainty in climate models, *Wiley Interdisciplinary Reviews: Climate Change 1*: 556-564

Lunt DJ et al. (2012) A multi-model assessment of last interglacial temperatures, *Climate of the Past Discussions* 8, 3657-3691

Menviel L, Joos F, Ritz SP (2012) Atmospheric CO₂, ¹³C and the marine carbon cycle during the last glacial-interglacial cycle: results from transient simulations with the Bern3D model, *Quaternary Science Reviews* 56: 46-68

Müller SA et al. (2006) Water mass distribution and ventilation time scales in a cost-efficient, threedimensional ocean model, *Journal of Climate* 19: 5479-5499

Petoukhov V et al. (2000): CLIMBER-2: a climate system model of intermediate complexity. Part I: 26 model description and performance for present climate, *Climate Dynamics* 16: 1-17

Robinson A, Calov R, Ganopolski A (2011) Greenland ice sheet model parameters constrained using simulations of the Eemian Interglacial, *Climate of the Past* 7: 381-396

Ritz SP, Stocker TF, Joos F (2011) A coupled dynamical ocean - energy balance atmosphere model for paleoclimate studies, *Journal of Climate* 24: 349-375

Smith RS, Gregory JM, Osprey A (2008) A description of the FAMOUS (version DBUA) climate model and control run, *Geoscientific Model Development* 1: 53-68

Smith RS (2012) The FAMOUS climate model (versions XFXWB and XFHCC): description update to version XDBUA, *Geoscientific Model Development* 5: 269-276

Williams JHT et al. (2012) Optimising the FAMOUS climate model: inclusion of global carbon cyclin, *Geoscientific Model Development* 6: 141-160

Yeager SG, Shields CA, Large WG, Hack JJ (2006) The low-resolution CCSM3, *Journal of Climate* 19: 2545-2566

Science Highlights

C.S. Andresen et al., p 12 Using marine sediment archives to reconstruct past outlet glacier variability

Amundson JM et al. (2010) Ice mélange dynamics and implications for terminus stability, Jakobshavn Isbræ, Greenland, *Journal of Geophysical Research* 115, doi: 10.1029/2009JF001405

Andresen CS et al. (2012) Rapid response of Helheim Glacier in Greenland to climate variability over the past century, *Nature Geoscience* 5: 37-41

Buch E, Pedersen SA, Ribergaard MH (2004) Ecosystem variability in West Greenland waters, *Journal of Northwest Atlantic Fishery Science* 34: 13-28

Cappelen J (2011) DMI Daily Climate Data Collection 1873-2010, Denmark, The Faroe Islands and Greenland - including Air Pressure Observations 1874-2010 (WASA Data Sets), *DMI Technical Report* 11-06: 1-41

Christoffersen P et al. (2011) Warming of waters in an East Greenland fjord prior to glacier retreat: mechanisms and connection to large-scale atmospheric conditions, *The Cryosphere* 5: 701-714

Dickson RR et al. (2000) The Arctic Ocean response to the North Atlantic Oscillation, *Journal of Climate* 13: 2671-2696

Flatau MK, Flatau PJ Schmidt J, Kiladis GN (2003) Delayed onset of the 2002 Indian monsoon, *Journal of Geophysical Research* 30, doi: 10.1029/2003GL012434

Hatun A et al. (2005) Influence of the Atlantic Subpolar Gyre on the Thermohaline Circulation, *Science* 309: 1841-1844

Holland D et al. (2008) Acceleration of Jakobshavn Isbrae triggered by warm subsurface ocean waters, *Nature Geoscience* 1: 659-664

Holliday NP et al. (2008) Scientific review - sea temperature, *Marine Climate Changes Impacts Annual Report Card 2008*

Hurrel JW, Kushnir Y, Visbeck M (2001) The North Atlantic oscillation, Science 291: 603-605

IPCC (2007) Climate Change 2007: The Physical Science Basis, Cambridge University Press

Motyka RJ et al. (2011) Submarine Melting of the 1985 Jakobshavn Isbrae Floating Ice Tongue and the triggering of the current retreat, *Journal of Geophysical Res*earch, doi: 10.1029/2009JF001632

Murray T et al. (2010) Ocean regulation hypothesis for glacier dynamics in southeast Greenland implications ice sheet mass change, *Journal of Geophysical Research* 115, doi: 10.1029/2009JF001522

Nick FM, Vieli A, Howat, IM, Joughin I (2009) Large-scale changes in Greenland outlet glacier dynamics triggered at the terminus, *Nature Geoscience* 2, 110-114

Rignot E, Kanagaratnam P (2006) Changes in the velocity structure of the Greenland Ice Sheet, *Science* 311: 986-990

Rignot E, Koppes M, Velicogna I (2010) Rapid submarine melting of the calving faces of West Greenland glaciers, *Nature Geoscience* 3: 187-191

Schjøth F et al. (2012) Campaign to map the bathymetry of a major Greenland fjord, *Eos Transactions American Geophysical Union* 93(14): 141

Schlesinger ME, Ramankutty N (1994) An oscillation in the global climate system of period 65–70 years, *Nature* 367: 723-726

Schmith T, Hansen C (2003) Fram Strait Ice Export during the Nineteenth and Twentieth Centuries Reconstructed from a Multiyear Sea Ice Index from Southwestern Greenland, *Journal of Climate* 16: 2782-2791

Straneo F et al. (2010) Rapid circulation of warm subtropical waters in a major glacial fjord in East Greenland, *Nature Geoscience* 3: 182-186

Straneo F et al. (2012) Characteristics of ocean waters reaching Greenland's glaciers, *Annals of Glaciology* 53: 202-210

SWIPA (2011) Snow, Water, Ice and Permafrost in the Arctic (Executive Summary). Available at: http://amap.no/swipa/SWIPA2011ExecutiveSummaryV2.pdf

Van den Broeke MR et al. (2009) Partitioning recent Greenland mass loss, Science 326: 984-986

Vieli A, Nick FM (2011) Understanding and Modelling Rapid Dynamic Changes of Tidewater Outlet Glaciers: Issues and Implications, *Surveys in Geophysics* 32: 437-458

A. Mairesse and H. Goosse, p 14 Using data assimilation to estimate the consistency between different climate proxies and climate model results

Dubinkina S et al. (2011) Testing a particle filter to reconstruct climate changes over past centuries, *International Journal of Bifurcation and Chaos* 21: 3611-3618

Goosse H et al. (2006) Using paleoclimate proxy-data to select optimal realisations in an ensemble of simulations of the climate of the past millennium, *Climate Dynamics* 27: 165-184

Goosse H et al. (2010) Description of the earth system model of intermediate complexity LOVECLIM version 1.2, *Geoscientific Model Development* 3: 603-633

Goosse H et al. (2012) The medieval climate anomaly in Europe: Comparison of the summer and annual mean signals in two reconstructions and in simulations with data assimilation, *Global and Planetary Change* 84-85: 35-47

Rodrigues T et al. (2009) Holocene interdependences of changes in sea surface temperature, productivity, and fluvial inputs in the Iberian continental shelf (Tagus mud patch), *Geochemistry, Geophysics, Geosystems* 10, doi: 10.1029/2008GC002367

Van Leeuwen PJ (2009) Particle filtering in geophysical systems, *Monthly Weather Review* 137: 4089-4114

Widmann M et al. (2010) Using data assimilation to study extratropical northern hemisphere climate over the last millennium, *Climate of the Past* 6: 627-644

N. Kehrwald, P. Zennaro and C. Barbante, p 16 Increasing fire activity in a warming climate? Ice core record insights from the present and the last interglacials

Bowman DMJS et al. (2009) Fire in the Earth System, Science 324: 481-484

Daniau AL, Harrison SP, Bartlein PJ (2010) Fire regimes during the Last Glacial, *Quaternary Science Reviews* 29: 2918-2930

Echalar F, Gaudichet A, Cachier H, Artaxo P (1995) Aerosol emissions by tropical forest and savanna biomass burning – characteristic trace-elements and fluxes, *Geophysical Research Letters* 22: 3039-3042

Engling G et al. (2006) Determination of levoglucosan in biomass combustion aerosol by highperformance anion-exchange chromatography with pulsed amperometric detection, *Atmospheric Environment* 40, doi: http://dx.doi.org/10.1016/j.atmosenv.2005.12.069

Fraser MP, Lakshmanan K (2000) Using levoglucosan as a molecular marker for the long-range transport of biomass combustion aerosols, *Environmental Science & Technology* 34: 4560-4564

Gambaro A et al. (2008) Direct determination of levoglucosan at the picogram per mililiter level in Antarctic ice by high-performance liquid chromatography/electrospray ionizaion tripe quadrupole mass spectrometry, *Analytical Chemistry* 80: 1649-1655

Hristov AN (2011) Review: Ammonia emissions from dairy farms and beef feedlots, *Canadian Journal of Animal Science* 91: 1-35

Kawamura K, Kaplan IR (1987) Motor exhaust emission as a primary source for dicarboxylic acids in Los Angeles ambient air, *Environmental Science and Technology* 21: 105-110

Kehrwald N et al. (2012) Levoglucosan as a specific marker of fire events in Greenland snow, *Tellus B* 64(18196), doi: http://dx.doi.org/10.3402/tellusb.v64i0.18196

Laj P et al. (1997) Distribution of Ca, Fe, K, and S between soluble and insoluble material in the Greenland Ice Core Project ice core, *Journal of Geophysical Research* 102: 26615-26623

Legrand M, DeAngelis M (1996) Light carboxylic acids in Greenland ice: A record of past forest fires and vegetation emissions from the boreal zone. *Journal of Geophysical Research-Atmospheres* 101: 4129-4145

Olivier S et al. (2006) Temporal variations of mineral dust, biogenic tracers, and anthropogenic species during the past two centuries from Belukha ice core, Siberian Altai, *Journal of Geophysical Research-Atmospheres* 111, doi: 10.1029/2005JD005830

Otto FEL et al. (2010) Reconciling two approaches to attribution of the 2010 Russian heat wave, *Geophysical Research Letters* 39, doi: 10.1029/2011GL050422

Power MJ et al. (2008) Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data, *Climate Dynamics* 30: 887-907

Schkolnik G, Rudich Y (2006) Detection and quantification of levoglucosan in atmospheric aerosols: A review, *Analytical and Bioanalytical Chemistry* 385: 26-33

Simoneit BRT (2002) Biomass burning - A review of organic tracers for smoke from incomplete combustion, *Applied Geochemistry* 17: 129-162

Stohl A et al. (2007) Arctic smoke - record high air pollution levels in the European Arctic due to agricultural fires in Eastern Europe in spring 2006, *Atmospheric Chemistry and Physics* 7: 511-534

V. Masson-Delmotte et al., p 18

Antarctic interglacial climate variability and implications for changes in ice sheet topography

Bradley SL et al. (2012) Where might we find evidence of a Last Interglacial West Antarctic Ice Sheet collapse in Antarctic ice core records? *Global and Planetary Change* 88-89: 64-75

Bradley SL et al. (2013) Combining ice core records and ice sheet models to explore the evolution of the East Antarctic ice sheet during the Last Interglacial. *Global and Planetary Change* 100: 278-290

Capron E et al. (2012) A global picture of the first abrupt climatic event occurring during the last glacial inception, *Geophysical Research Letters* 39, doi: 10.1029/2012GL052656

Holden PB et al. (2010) Interhemispheric coupling and warm Antarctic interglacials, *Climate of the Past Discussions* 5: 2555-2575

Jouzel J et al. (2007) Orbital and millennial Antarctic climate variability over the past 800,000 years, *Science* 317: 793-796

Masson-Delmotte V et al. (2010) Abrupt change of Antarctic moisture origin at the end of termination II, *Proceedings of the National Academy of Sciences of the United States of America* 107, doi: 10.1073/pnas.0914536107

NEEM community members (2013) Eemian interglacial reconstructed from Greenland folded NEEM ice core strata, *Nature* 493: 489-494

Pol K et al. (2011) Links between MIS 11 millennial to sub-millennial climate variability and long term trends as revealed by new high resolution EPICA Dome C deuterium data - A comparison with the Holocene, *Climate of the Past* 7: 437-450

Uemura R et al. (2012) Ranges of moisture-source temperature estimated from Antarctic ice cores stable isotope records over glacial-interglacial cycles, *Climate of the Past* 8: 1109-1125

Sime LC et al. (2009) Evidence for warmer interglacials in East Antarctic ice cores, *Nature* 462: 342-345

T. Brücher and V. Brovkin, p 20 Land biosphere dynamics during the present and the last interglacials

Brovkin V et al. (2012) Glacial CO_2 cycle as a succession of key physical and biogeochemical processes, *Climate of the Past* 8: 251-264

Elsig J et al. (2009) Stable isotope constraints on Holocene carbon cycle changes from an Antarctic ice core, *Nature* 461: 507-510

Ganopolski A et al. (2001) CLIMBER-2: a climate system model of intermediate complexity. Part II: model sensitivity, *Climate Dynamics* 17: 735-751

Jolly D et al. (1998) Biome reconstruction from pollen and plant macrofossil data for Africa and the Arabian peninsula at 0 and 6000 years, *Journal of Biogeography* 25: 1007-1027

Joos F et al. (2004) Transient simulations of Holocene atmospheric carbon dioxide and terrestrial carbon since the Last Glacial Maximum, *Global Biogeochemical Cycles* 18, doi: 10.1029/2003GB002156

Kleinen T et al. (2010) Holocene carbon cycle dynamics, *Geophysical Research Letters* 37, doi: 10.1029/2009GL041391

Lourantou A et al. (2010) Changes in atmospheric CO₂ and its carbon isotopic ratio during the penultimate deglaciation, *Quaternary Science Reviews* 29: 1983-1992

Lüthi et al. (2008) High-resolution carbon dioxide concentration record 650,000–800,000 years before present, *Nature* 453: 379-382

Menviel L, Joos F (2012) Toward explaining the Holocene carbon dioxide and carbon isotope records: Results from transient ocean carbon cycle-climate simulations, *Paleoceanography* 27, doi: 10.1029/2011PA002224

Power MJ et al. (2008) Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis charcoal data, *Climate Dynamics* 30: 887-907

Raddatz T et al. (2007) Will the tropical land biosphere dominate the climate-carbon cycle feedback during the twenty-first century? *Climate Dynamics* 29: 565-574

Ridgwell AJ, Watson AJ, Maslin MA, Kaplan JO (2003) Implications of coral reef buildup for the controls on atmospheric CO₂ since the Last Glacial Maximum, *Paleoceanography* 18, doi: 10.1029/2003PA000893

Schuldt RJ et al. (2012) Modelling Holocene carbon accumulation and methane emissions of boreal wetlands. An Earth System Model approach, *Biogeosciences Discussions* 9: 12667-12710

D. Dahl-Jensen, P. Gogineni and J.W.C. White, p 22 Reconstruction of the last interglacial period from the NEEM ice core

Alley RB, Clark PU, Huybrechts P, Joughin I (2005) Ice-sheet and sea-level changes, *Science* 310: 456-460

Axford Y et al. (2011) Chironomids record terrestrial temperature changes throughout Arctic interglacials of the past 200,000 yr, *Geological Society of America Bulletin* 123: 1275-1287

Cuffey KM, Marshall SJ (2000) Substantial contribution to sea-level rise during the last interglacial from the Greenland ice sheet *Nature* 404: 591-594

Dahl-Jensen D (2006) NGRIP ice core reveals detailed climatic history 123 kyrs back in time, *PAGES News* 14: 15-16

Dutton A, Lambeck K (2012) Ice Volume and Sea Level During the Last Interglacial, *Science* 337(6091): 216-219

Kopp RE et al. (2009) Probabilistic assessment of sea level during the last interglacial stage, *Nature* 462: 863-868

NorthGRIP members (2004) High-resolution record of Northern Hemisphere climate extending into the last interglacial period *Nature* 431: 147-151

Robinson AC, Calov R, Ganapolski A (2010) Greenland Ice Sheet model parameters constrained using simulations of the Eemian Interglacial, *Climate of the Past* 6: 1551-1588

Stone E, Lunt DJ, Annan JD, Hargreaves JC (2013) Quantification of Greenland ice-sheet contribution to Last Interglacial sea-level rise, *Climate of the Past 9*: 621-639

Suwa M et al. (2006) Chronology reconstruction for the disturbed bottom section of the GISP2 and the GRIP ice cores: Implications for Termination II in Greenland, *Journal of Geophysical Research* 111, doi: 02110.01029/02005JD006032

Turney CSM, Jones RT (2010) Does the Agulhas Current amplify global temperatures during superinterglacials? *Journal of Quaternary Science* 25: 839-843

Vinther BM et al. (2009) Holocene thinning of the Greenland ice sheet, Nature 461: 385-388

D. Genty, S. Verheyden and K. Wainer, p 24 Speleothem records over the Last Interglacial

Allen JRM et al. (1999) Rapid environmental changes in southern Europe during the last glacial period, *Nature* 400: 740-743

Baker A et al. (1998) Testing theoretically predicted stalagmite growth rate with Recent annually laminated samples: Implications for past stalagmite deposition, *Geochimica et Cosmochimica Acta* 62: 393-404

Bar-Matthews M, Ayalon A (April 17 to 20th 2002) Climate reconstruction from speleothems in the eastern Mediterranean region. In: *First ESF-HOLLVAR Workshop, Combining Climate Proxies*, Lammi Biological Station, Finland

Brauer A et al. (2000) Abrupt environmental oscillations during the Early Weichselian recorded at Lago Grande di Monticchio, southern Italy, *Quaternary International* 73: 79-90

Couchoud I et al. (2009) Millennial-scale climate variability during the Last Interglacial recorded in a speleothem from south-western France, *Quaternary Science Reviews* 28: 3263-3274

Cruz FW et al. (2005) Insolation-driven changes in atmospheric circulation over the past 116,000 years in subtropical Brazil, *Nature* 434: 63-66

Cruz FW et al. (2006a) Reconstruction of regional atmospheric circulation features during the Late Pleistocene in subtropical Brazil from oxygen isotope composition of speleothems, *Earth and Planetary Science Letters* 248: 495-507

Cruz FW et al. (2006b) A stalagmite record of changes in atmospheric circulation and soil processes in the Brazilian subtropics during the Late Pleistocene. *Quaternary Science Reviews* 25: 2749-2761

Dreybrodt W (1988) Processes in Karst Systems, Springer Verlag, 288pp

Drysdale RN et al. (2009) Evidence for Obliquity Forcing of Glacial Termination II, *Science* 325: 1527-1531

Drysdale RN et al. (2005) Stalagmite evidence for the onset of the Last Interglacial in southern Europe at 129 +/- 1 ka, *Geophysical Research Letters* 32, doi: 10.1029/2005GL024658

Fleitmann D et al. (2009) Timing and climatic impact of Greenland interstadials recorded in stalagmites from northern Turkey, *Geophysical Research Letters* 36, doi: 10.1029/2009GL040050

Genty D et al. (2003) Precise dating of Dansgaard-Oeschger climate oscillations in western Europe from stalagmite data, *Nature* 421: 833-837

Jo KN et al. (2011) Holocene and Eemian climatic optima in the Korean Peninsula based on textural and carbon isotopic records from the stalagmite of the Daeya Cave, South Korea, *Quaternary Science Reviews* 30: 1218-1231

Kelly MJ (2006) High resolution characterization of the Asian Monsoon between 146,000 and 99,000 years BP from Dongge Cave, China and global correlation of events surrounding Termination II, *Palaeogeography Palaeoclimatology Palaeoecology* 236: 20-38

McDermott F (2004) Paleo-climate reconstruction from stable isotope variations in speleothems: a review, *Quaternary Science Reviews* 23: 901-918

Meyer MC, Spotl C, Mangini A (2008) The demise of the Last Interglacial recorded in isotopically dated speleothems from the Alps, *Quaternary Science Reviews* 27: 476-496

Meyer MC, Spotl C, Mangini A, Tessadri R (2012) Speleothem deposition at the glaciation threshold -An attempt to constrain the age and paleoenvironmental significance of a detrital rich flowstone sequence from Entrische Kirche Cave (Austria), *Palaeogeography Palaeoclimatology Palaeoecology* 319: 93-106

Sanchez Goñi MF et al. (2002) Synchroneity between marine and terrestrial responses to Millennial scale climatic variability during the last glacial period in the Mediterranean region, *Climate Dynamics* 19: 95-105

Sanchez Goñi MF et al. (2008) Contrasting impacts of Dansgaard-Oeschger events over a Western European latitudinal transect modulated by orbital parameters, *Quaternary Science Reviews* 27: 1789-1805

Spötl C, Mangini A (2002) Stalagmite from the Austrian Alps reveals Dansgaard-Oeschger events during isotope stage 3: implications for the absolute chronology of Greenland ice cores, *Earth and Planetary Science Letters* 203: 507-518

Wainer K (2009) Reconstruction climatique des derniers 200 ka à partir de l'étude isotopique et géochimique des spéléothèmes du sud de la France, PhD thesis, Université de Paris XI, 271pp

Wainer K et al. (2011) Speleothem record of the last 180 ka in Villars cave (SW France): Investigation of a large d¹⁸O shift between MIS6 and MIS5, *Quaternary Science Reviews* 30: 130-146

Wang YJ et al. (2001) A high-resolution absolute-dated late Pleistocene Monsoon Record from Hulu Cave, China, *Science* 294: 2345-2348

Wang YJ et al. (2008) Millennial- and orbital-scale changes in the East Asian monsoon over the past 224,000 years, *Nature* 451: 1090-1093

Yuan D et al. (2004) Timing, Duration, and Transitions of the Last Interglacial Asian Monsoon, *Science* 304: 575-578

E. Capron et al., p 26 Dating and synchronizing paleoclimatic records over the Last Interglacial

Aciego S et al. (2011) Toward a Radiometric Ice Clock: U series Ages of the Dome C Ice Core, *Quaternary Science Reviews* 30: 2389-2397

Baker A et al. (1997) Elevated and variable values of C-13 in speleothems in a British cave system. *Chemical Geology* 136: 263-270

Bazin et al. (2012) An optimized multi-proxies, multi-site Antarctic ice and gas orbital chronology (AICC2012), *Climate of the Past Discussion* 8: 6011-6049

Blunier T et al. (1998) Asynchrony of Antarctic and Greenland climate change during the last glacial period, *Nature* 394: 739-743

Buiron D et al. (2012) Regional imprints of millennial variability during the MIS 3 period around Antarctica, *Quaternary Science Reviews* 48: 99-112

Capron E et al. (2010) Synchronising EDML and NorthGRIP ice cores using δ^{18} O of atmospheric oxygen ($\delta^{18}O_{atm}$) and CH₄ measurements over MIS 5 (80–123 kyr), *Quaternary Science Reviews* 29: 222-234

Capron E et al. (2012) A global picture of the first abrupt climatic event occuring during the last glacial inception, *Geophysical Research Letters* 39, doi: 10.1029/2012GL052656

Cheng H et al. (2006) A penultimate glacial monsoon record from Hulu Cave and two-phase glacial Terminations, *Geology* 34: 217-220

Cheng H et al. (2009) Ice age Terminations, Science 236: 248-252

Cortijo E et al. (1999) Changes in meridional temperature and salinity gradients in the North Atlantic Ocean (30–72° N) during the last interglacial period, *Paleoceanography* 14: 23-33

Dreyfus G et al. (2007) Anomalous flow below 2700m in the EPICA Dome C ice core detected using $\delta^{18}O_{atm}$ of atmospheric oxygen measurements, *Climate of the Past* 3: 341-353

Drysdale R et al. (2007) Stalagmite evidence for the precise timing of North Atlantic cold events during the early last glacial, *Geology* 35: 77-80

Drysdale R et al. (2009) Stalagmite evidence for the onset of the Last Interglacial in southern Europe at 129 ± 1 ka, *Geophysical Research Letters* 32, doi: 10.1029/2005GL024658

Dunbar N et al. (2008) Tephrochronology of the summit Caldera ice record at Mount Moulton, West Antarctica, *Bulletin of the Geological Society of America* 7-8: 796-812

Dutton A, Lambeck K (2012) Ice Volume and Sea Level During the Last Interglacial, *Science* 337: 216-219

EPICA community members (2006) One-to-one coupling of glacial climate variability in Greenland and Antarctica, *Nature* 444: 195-198

Genty D et al. (2003) Precise dating of Dansgaard-Oeschger climate oscillations in western Europe from stalagmite data, *Nature* 421: 833-837

Govin A et al. (2012) Persistent influence of ice sheet melting on high northern latitude climate during the early Last Interglacial, *Climate of the Past* 8: 483-507

Jouzel J et al. (2007) Orbital and millennial Antarctic climate variability over the past 800,000 years, *Science* 317: 793-796

Kawamura K et al. (2007) Northern hemisphere forcing of climatic cyles over the past 360,000 years implied by accurately dated Antarctic ice cores, *Nature* 448: 912-916

Kukla G et al (1997) How long and how stable was the last interglacial? *Quaternary Science Reviews* 16: 605-612

Landais A et al. (2012) Towards orbital dating of the EPICA Dome C ice core using $\delta O_2/N_2$, Climate of the Past 8: 191-203

M5.1.2 Workshop (2012) Integration of results, Available at: http://www.past4future.eu/index.php/resources/project-resources

NorthGRIP Project members (2004) High-resolution record of Northern Hemisphere climate extending into the last interglacial period, *Nature* 431: 147-151

Pausata F et al. (2011) Chinese stalagmite δ^{18} O controlled by changes in the Indian monsoon during a simulated Heinrich event, *Nature Geoscience* 4: 474-480

Parrenin F et al. (2007) The EDC3 chronology for the EDC ice core, Climate of the Past 3: 485-497

Parrenin F et al. (2012) Volcanic synchronisation between the EPICA Dome C and Vostok ice cores (Antarctica) 0-145 kyr BP, *Climate of the Past* 8: 1031-1045

Raisbeck GM et al. (1987) Evidence for two intervals of enhanced Be-10 deposition in Antarctic ice during the last glacial period, *Nature* 326: 273-277

Raisbeck GM et al. (2007) Direct north-south synchronization of abrupt climate change recordin ice cores using Beryllium 10, *Climate of the Past* 3: 541-547

Rasmussen TL et al. (2003) Late warming and early cooling of the sea surface in the Nordic seas during MIS 5e (Eemian Interglacial), *Quaternary Science Reviews* 22: 809-821

Raynaud D et al. (2007) The local insolation signature of air content in Antarctic ice. A new step toward an absolute dating of ice records, *Earth Planetary Science Letters* 261: 337-349

Ruth U et al. (2007) "EDML1": a chronology for the EPICA deep ice core from Dronning Maud Land, Antarctica, over the last 150 000 years, *Climate of the Past* 3: 475-484

Severi M et al. (2007) Synchronisation of the EDML and EDC ice cores for the last 52 kyr by volcanic signature matching, *Climate of the Past* 3: 367-374

Shackleton NJ, Hall MA, Vincent E (2000) Phase relationships between millennial-scale events 64,000–24,000 years ago, *Paleoceanography* 15: 565-569

Shackleton N J et al. (2002) The classic Marine Isotope Substage 5e, Quaternary Research 58: 14-16

Skinner L, N J Shackleton (2005) An Atlantic lead over Pacific deep-water change across Termination I: implications for the application of the marine isotope stage stratigraphy, *Quaternary Science Reviews* 24: 571-580

Svensson A et al. (2008) A 60 000 year Greenland stratigraphic ice core chronology, *Climate of the Past* 4: 47-57

Waelbroeck C et al. (2011) The timing of deglacial circulation changes in the Atlantic, *Paleoceanography* 26, doi: 10.1029/2010PA002007

Wang Y et al. (2008) Millennial- and orbital-scale changes in the East Asian monsoon over the past 224,000 years, *Nature* 451: 1090-1093

Wang H, Chen H (2012) Climate control for south-eastern China moisture and precipitation: Indian or East Asian monsoon? *Journal of Geophysical Research* 117, doi: 10.1029/2012JD017734

Zhou LP, Shackleton NJ (1999) Misleading positions of geomagnetic reversal boundaries in Eurasian loess and implications for correlation between continental and marine sedimentary sequences, *Earth and Planetary Science Letters* 168: 117-130

L.C. Sime, V. Masson-Delmotte, C. Risi and J. Sjolte, p 28 Sea surface temperature controls on warm climate water isotopes in Greenland ice cores

Masson-Delmotte V et al. (2005) GRIP Deuterium Excess Reveals Rapid and Orbital-Scale Changes in Greenland Moisture Origin, *Science* 309: 118-121

Masson-Delmotte V et al. (2011) Sensitivity of interglacial Greenland temperature and δ^{18} O: ice core data, orbital and increased CO₂ climate simulations, *Climate of the Past* 7: 1041-1059

McKay NP, Overpeck JT, Otto-Bliesner BL (2011) The role of ocean thermal expansion in Last Interglacial sea level rise, *Geophysical Research Letters* 38, doi: 10.1029/2011GL048280

NEEM community members (2013) Eemian interglacial reconstructed from Greenland folded NEEM ice core strata, *Nature* 493: 489-494

NorthGRIP Project members (2004) High-Resolution record of northern hemisphere climate extending into the last interglacial period, *Nature* 431: 47-151

Sime LC et al. (2013) Warm climate isotopic simulations: What do we learn about interglacial signals in Greenland ice cores? *Quaternary Science Reviews* 67: 59-80

Turney CS, Jones RT (2010) Does the Agulhas Current amplify global temperatures during superinterglacials? *Journal of Quaternary Science* 25: 839-843

R. Gersonde and A. de Vernal, p 30 Reconstruction of past sea ice

Abram NJ et al. (2010) Ice core evidence for a 20th century decline of the sea ice in the Bellingshausen Sea, Antarctica, *Journal of Geophysical Research* 115, doi: 10:1029/2010JD014644

Becagli S et al. (2009) Methansulfonic acid (MSA) stratigraphy from a Talos Dome ice core as a tool depicting sea ice changes and southern atmosphere circulation over the previous 150 years, *Atmospheric Environment* 42: 1051-1058

Belt ST et al. (2007) A novel chemical fossil of palaeo sea ice: IP25, *Organic Geochemistry* 38: 16-27

Budikova D (2009) Role of Arctic sea ice in global atmospheric circulation: A review, *Global Planetary Change* 68: 149-163

Comiso JC (2012) Large decadal decline of the Arctic multiyear ice cover, *Journal of Climate* 25, doi: 10.1175/JCLI-D-11-00113.1

Cronin TM et al. (2010) Quaternary sea-ice history in the Arctic Ocean based on a new ostracode sea-ice proxy, *Quaternary Science Reviews* 29: 3415-3429

Crosta X, Pichon J-J, Burckle LH (1998) Applications of the modern analog technique to marine Antarctic diatoms:reconstruction of maximum sea-ice extent at the Last Glacial Maximum, *Paleoceanography* 13: 284-297

de la Mare WK (2009) Changes in Antarctic sea-ice extent from direct historical observations and whaling records, *Climatic Change* 92: 461-493

de Vernal A et al. (2005) Reconstruction of sea-surface conditions at middle to high latitudes of the Northern Hemisphere during the Last Glacial Maximum (LGM) based on dinoflagellate cyst assemblages, *Quaternary Science Reviews* 24: 897-924

de Vernal A et al. (2008) Reconstructing sea-ice conditions in the Arctic and subarctic prior to human observations, In: Weaver E (Ed.), *Arctic Sea ice Decline: Observations, Projections, Mechanisms, and Implications, AGU Monograph Series 180*, AGU Books, 27-45

Gersonde R, Zielinski U (2000) The reconstruction of the late Quaternary sea-ice distribution – The use of diatoms as a proxy for sea-ice, *Palaeogeography, Palaeoclimatology, Palaeoecology* 162: 263-286

Gersonde R, Crosta X, Abelmann A, Armand L (2005) Sea-surface temperature and sea ice distribution of the Southern ocean at the EPILOG Last Glacial maximum – a circum Antarctic view based on siliceous microfossil record, *Quaternary Science Reviews* 24: 869-896

Hays JD et al. (1976) Reconstruction of the Atlantic and western Indian Ocean sectors of the 18.000 B.P. Antarctic Ocean, *Geological Society of American Memoirs* 145: 337-372

Hillaire-Marcel C, de Vernal A (2008) Stable isotope clue to episodic sea-ice formation in the glacial North Atlantic, *Earth and Planetary Science Letters* 268: 143-150

Justwan A, Koç N (2008) A diatom based transfer function for reconstructing sea ice concentrations in the North Atlantic, *Marine Micropaleontology* 66: 264-278

Kinnard C et al. (2008) A changing Arctic seasonal ice zone: observations from 1870-2003 and possible oceanographic consequences. *Geophysical Research Letters* 35, doi: 10.1029/2007GL032507

Kinnard C et al. (2011) Reconstructed changes in Arctic sea ice cover over the past 1,450 years, *Nature* 479: 509-512

Massé G et al (2011) Highly branched isoprenoids as proxies for variable sea ice conditions in the Southern Ocean, *Antarctic Science* 23: 487-498

Müller J, Massé G, Stein R, Belt S (2009) Variability of sea-ice conditions in the Fram Strait over that past 30,000 years, *Nature Geoscience* 2: 772-776

Müller J et al. (2011) Towards quantitative sea ice reconstructions in the northern North Atlantic: A combined biomarker and numerical modelling approach, *Earth and Planetary Science Letters* 306: 137-148

Rayner NA et al. (2003) Global analyses of the sea surface temperature, sea ice, and night marine temperature since the late nineteenth century, *Journal of Geophysical Research* 108, doi: 10.1029/2002JD002670

Sarnthein M, Pflaumann U, Weinert M (2003) Past extent of sea ice in the northern North Atlantic inferred from foraminiferal temperature estimates, *Paleoceanography* 18, doi: 10.1029/2002PA000771

Spielhagen RF et al. (2001) Enhanced modern heat transfer to the Arctic by warm Atlantic water, *Science* 331: 450-453

Stein R (2008) Arctic Ocean sediments: processes, proxies, and paleoenvironment. Developments in Marine Geology 2, Elsevier, 592 pp

Stickley C et al. (2009) Evidence for middle Eocene Arctic sea ice from diatoms and ice rafted debris, *Nature* 460: 376-380

Stroeve J et al. (2007) Arctic sea ice decline: faster than forecast, *Geophysical Research Letters* 34, doi: 10.1029/2007GL029703

Turner J et al. (2009) Non-annular atmospheric circulation change indiced by stratospheric ozone depletion and its role in the recent increase of Antarctic sea ice extent, *Geophysical Research Letters* 36, doi: 10.1029/2009GL037524

Wang M, Overland JE (2009) A sea ice free summer Arctic within 30 years? *Geophysical Research Letters* 36, doi: 10.1029/2009GL037820

Wolff EW et al. (2006) Southern Ocean sea-ice extent, productivity and iron flux over the past eight glacial cycles, *Nature* 44: 491-496

E.J. Stone et al., p 32 A climate model inter-comparison of Last Interglacial peak warmth

Bakker P et al. (2013) Last interglacial temperature evolution - a model inter-comparison, *Climate of the Past* 9: 605-619

Collins WD et al. (2006) The Community Climate System Model version 3 (CCSM3), *Journal of Climate* 19: 2122-2143

Dutton A, Lambeck K (2012) Ice Volume and Sea Level During the Last Interglacial, *Science* 337: 216-219

Goosse H et al. (2010) Description of the Earth system model of intermediate 30 complexity LOVECLIM version 1.2, *Geoscientific Model Development* 3: 603-633

Govin A et al. (2012) Persistent influence of ice sheet melting on high northern latitude climate during the early Last Interglacial, *Climate of the Past* 8: 483-507

Jones PD, Mann ME (2004) Climate over past millennia, *Reviews of Geophysics* 42, doi: 10.1029/2003rg000143

Kaspar F, Kuhl N, Cubasch U, Litt T (2005) A model-data comparison of European temperatures in the Eemian interglacial, *Geophysical Research Letters* 32, doi: 10.1029/2005GL022456

Kopp REM et al. (2009) Probabilistic assessment of sea level during the last interglacial stage, *Nature* 462: 863-868

Montoya M von Storch H, Crowley TJ (2000) Climate simulation for 125 kyr BP with a coupled oceanatmosphere general circulation model, *Journal of Climate* 13: 1057-1072

Müller SA et al. (2006) Water mass distribution and ventilation time scales in a cost-efficient, threedimensional ocean model, *Journal of Climate* 19: 5479-5499 NorthGRIP Project members (2004) High-resolution record of Northern Hemisphere climate extending into the last interglacial period, *Nature* 431: 147-151

Petoukhov V et al. (2000): CLIMBER-2: a climate system model of intermediate complexity. Part I: 26 model description and performance for present climate, *Climate Dynamics* 16: 1-17

Ritz SP, Stocker TF, Joos F (2011) A Coupled Dynamical Ocean-Energy Balance Atmosphere Model for Paleoclimate Studies, *Journal of Climate* 24: 349-375

Smith RS, Gregory JM, Osprey A (2008) A description of the FAMOUS (version DBUA) climate model and control run, *Geoscientific Model Development* 1: 53-68

Smith RS (2012) The FAMOUS climate model (versions XFXWB and XFHCC): description update to version XDBUA, *Geoscientific Model Development* 5: 269-276

Turney CSM, Jones RT (2010) Does the Agulhas Current amplify global temperature during superinterglacials? *Journal of Quaternary Science* 25: 839-843

Van Nieuwenhove N et al. (2011) Evidence for delayed poleward expansion of North Atlantic surface waters during the last interglacial (MIS 5e), *Quaternary Science Reviews* 30: 934-946

Yeager SG, Shields CA, Large WG, Hack JJ (2006) The low-resolution CCSM3, *Journal of Climate* 19: 2545-2566

T. Blunier, J. Chappellaz and E. Brook, p 34 Continuous in-field measurements of gas concentration from ice cores

Bigler M et al. (2011) Optimization of High-Resolution Continuous Flow Analysis for Transient Climate Signals in Ice Cores, *Environmental Science and Technology* 45: 4483-4489

Blunier T et al. (2007) Synchronization of ice core records via atmospheric gases, *Climate of the Past* 3: 325-330

Kaufmann PR et al. (2008) An Improved Continuous Flow Analysis System for High Resolution Field Measurements on Ice Cores, *Environmental Science and Technology* 42: 8044-8050

Schüpbach S et al. (2009) A New Method for High-Resolution Methane Measurements on Polar Ice Cores Using Continuous Flow Analysis, *Environmental Science and Technology* 43: 5371-5376

Stowasser C et al. (2012) Continuous measurements of methane mixing ratios from ice cores, *Atmospheric Measurement Techniques* 5: 999-1013

M. Siddall et al., p 36 Sea level variations during the Last Interglacial

Bamber JL, Riva R, Vermeersen B, LeBrocq A (2009) Reassessment of the Potential Sea-Level Rise from a Collapse of the West Antarctic Ice Sheet, *Science* 324: 901-903

Cuffey KM, Marshall SJ (2000) Substantial contribution to sea-level rise during the last interglacial from the Greenland ice sheet, *Nature* 404: 591-594

Dutton A, Lambeck K (2012) Ice Volume and Sea Level During the Last Interglacial, *Science* 337: 216-219

Fyke JG et al. (2011) A new coupled ice sheet/climate model: description and sensitivity to model physics under Eemian, Last Glacial Maximum, late Holocene and modern climate conditions, *Geoscientific Model Development* 4: 117-136

Gomez N, Mitrovica JX, Huybers P, Clark PU (2010) Sea level as a stabilizing factor for marine-ice-sheet grounding lines, *Nature Geoscience* 3, 850-853

Hearty PJ et al. (2007) Global sea-level fluctuations during the Last Interglaciation (MIS 5e), *Quaternary Science Reviews* 26: 2090-2112

Kopp RE et al. (2009) Probabilistic assessment of sea level during the last interglacial stage, *Nature* 462: 863-867

Le Brocq AM, Payne AJ, Vieli A (2010) An improved Antarctic dataset for high resolution numerical ice sheet models (ALBMAP v1), *Earth System Science Data* 2: 247-260

Lhomme N, Clarke GKC, Marshall SJ (2005) Tracer transport in the Greenland ice sheet: constraints on ice cores and glacial history, *Quaternary Science Reviews* 24: 173-194

Tarasov L, Peltier WR (2003) Greenland glacial history, borehole constraints, and Eemian extent, *Journal Geophysical Research* 108, doi: 10.1029/2001JB001731

McKay NP, Overpeck JT, Otto-Bliesner BL (2011) The role of ocean thermal expansion in Last Interglacial sea level rise, *Geophysical Research Letters* 38, doi: 10.1029/2011GL048280

Oppenheimer M, O'Neill BC, Webster M (2008) Negative learning, Climatic Change 89: 155-172

Otto-Bliesner BL et al. (2006) Simulating Arctic climate warmth and icefield retreat in the last interglaciation, *Science* 311: 1751-1753

Pierce EL et al. (2011) Characterizing the sediment provenance of East Antarctica's weak underbelly: The Aurora and Wilkes sub-glacial basins, *Paleoceanography* 26, doi: 10.1029/2011PA002127

Pingree K, Lurie M Hughes T (2011) Is the East Antarctic ice sheet stable? *Quaternary Research* 75: 417-429

Radić V, Hock R (2010) Regional and global volumes of glaciers derived from statistical upscaling of glacier inventory data, *Journal of Geophysical Research* 115, doi: 201010.1029/2009JF001373

Robinson A, Calov R, Ganopolski A (2011) Greenland ice sheet model parameters constrained using simulations of the Eemian Interglacial, *Climate of the Past* 7, doi: 10.5194/cp-7-381-2011

Rohling EJ et al. (2008) New constraints on the timing and amplitude of sea level fluctuations during Marine Isotope Stage 3, *Paleoceanography* 23, doi: 10.1029/2008PA001617

Siddall M, Chappell J, Potter E-K (2006) Eustatic sea level during past Interglacials. In: Sirocko F, Litt T, Claussen M, Sanchez-Goni M-F (Eds) *The Climate of Past Interglacials*, Elsevier, 75-92

Stirling C, Esat T, Lambeck K, McCulloch M (1998) Timing and duration of the Last Interglacial: Evidence for a restricted interval of widespread coral reef growth, *Earth Planetary Science Letters* 160: 745-762

Stocker TF, Johnsen SJ (2003) A minimum model for the bipolar seesaw, *Paleoceanography* 18, doi: 10.1029/2003PA000920

Stone EJ, DJ Lunt, Annan JD, Hargreaves JC (2013) Quantification of the Greenland ice sheet contribution to Last Interglacial sea-level rise, *Climate of the Past* 9: 621-639

Thompson WG, Goldstein SL (2005) Open-system coral ages reveal persistent suborbital level cycles, *Science* 308: 401-404

Thompson WG, Curran HA, Wilson MA, White B (2011) Sea-level oscillations during the last interglacial highstand recorded by Bahamas corals, *Nature Geoscience* 4, doi: 10.1038/ngeo1253

Workshop reports, p 38-43

N. Kehrwald, C. Barbante, C. Whitlock and V. Brovkin, p 38 Paleofire workshop

Daniau A-L et al. (2012) Predictability of biomass burning in response to climate changes, *Global Biogeochemical Cycles* 26, doi: 10.1029/2011GB004249

B.P. Onac, J.A. Dorale and J.J. Fornós, p 39 Sea level changes into MIS 5: From observations to predictions

Alley RB, Clark PU, Huybrechts P, Joughin I (2005) Ice-sheet and sea-level changes, *Science* 310: 456-460

Dorale JA et al. (2010) Sea-level 81,000 years ago in Mallorca, Science 327: 860-863

Lambeck K, Chappell J (2001) Sea level change through the last glacial cycle, Science 29: 679-686

Tuccimei P et al. (2012) Decoding last interglacial sea-level variations in the Western Mediterranean using speleothem encrustations from coastal caves in Mallorca and Sardinia: A field data - model comparison, *Quaternary International* 262: 56-64

A. Dutton, E.J. Stone and A. Carlson, p 40 Ice-sheet climate interactions: Implications for coastal engineering

Box JE et al. (2012) Greenland ice sheet albedo feedback: thermodynamics and atmospheric drivers, *The Cryosphere* 6: 821-839

Gregoire LJ, Payne AJ, Valdes PJ (2012) Deglacial rapid sea level rises caused by ice sheet saddle collapses, *Nature* 487: 219-222

Helsen MM et al. (2011) Greenland Ice Sheet retreat during the Eemian, *American Geophysical Union, Fall Meeting 2011*, abstract #C53C-0685

Stone E, Lunt DJ, Annan JD, Hargreaves JC (2012) Quantification of Greenland ice-sheet contribution to Last Interglacial sea-level rise, *Climate of the Past* 9: 621-639

Törnqvist TE, Hijma MP (2012) Links between early Holocene ice-sheet decay, sea-level rise and abrupt climate change, *Nature Geoscience* 5: 601-606

H. Fischer and E.W. Wolff, p 41 Modes of variability in the climate system: Past-Present-Future

England MH (2011) Changing modes of ocean-atmosphere variability, In: Richardson K, Steffen W, Liverman D (Eds) *Climate Change: Global Risks, Challenges and Decisions*, Cambridge University Press, 33-35

P.C. Tzedakis et al., p 42 The 4th PAGES past interglacials workshop

Channell JET, Hodell DA, McManus JF, Lehman B (1998) Orbital modulation of the Earth's magnetic field intensity, *Nature* 394: 464-468

Channell JET, Kleiven HF (2000) Geomagnetic palaeointensitites and astochronological ages for the Matuyama-Brunhes boundary and the boundaries of the Jaramillo Subchron: Palaeomagnetic and oxygen isotope records from ODP Site 983, *Philosophical Transactions of the Royal Society London A* 358: 1027-1047

Elderfield H et al. (2012) Evolution of ocean temperature and ice volume through the Mid Pleistocene climate transition, *Science* 337: 704-709

Jouzel J et al. (2007) Orbital and millennial Antarctic climate variability over the past 800,000 years, *Science* 317: 793-796

Lüthi D et al. (2008) High-resolution carbon dioxide concentration record 650,000-800,000 years before present, *Nature* 453: 379-382

Prokopenko AA et al. (2006) Orbital forcing of continental climate during the Pleistocene: a complete astronomically tuned climatic record from Lake Baikal, SE Siberia, *Quaternary Science Reviews* 25: 3431-3457

Tzedakis PC et al. (2009) Interglacial diversity, Nature Geoscience 2: 751-755

Tzedakis PC et al. (2012) Can we predict the duration of an interglacial? *Climate of the Past* 8: 1473-1485

A. de Vernal, E.W. Wolff and R. Gersonde, p 43 Sea ice in the paleoclimate system

Belt ST et al. (2007) A novel chemical fossil of palaeo sea ice: IP25, Organic Geochemistry 38: 16-27

Cronin TM et al. (2010) Quaternary Sea-ice history in the Arctic Ocean based on a new ostracode sea-ice proxy, *Quaternary Science Reviews* 29: 3415-3429

Crosta X, Sturm A, Armand L, Pichon JJ (2004) Late Quaternary sea ice history in the Indian sector of the Southern Ocean as recorded by diatom assemblage, *Marine Micropaleontolology* 50: 209-223

de Vernal A et al. (2008) Reconstructing sea-ice conditions in the Arctic and subarctic prior to human observations, In: E. Weaver (Ed) *Arctic Sea ice Decline: Observations, Projections, Mechanisms, and Implications*, AGU Monograph Series 180: 27-45

Hillaire-Marcel C, de Vernal A (2008) Stable isotope clue to episodic sea-ice formation in the glacial North Atlantic, *Earth and Planetary Science Letters* 268: 143-150

Meir WN et al. (2011) Sea ice, In: AMAP (Eds) *Snow, water, Ice and permafrost in the Arctic: Climate Change and the Cryosphere*, Arctic Monitoring and Assessment Programme, Chapter 9

Mueller J et al. (2011) Towards quantitative sea ice reconstructions in the northern North Atlantic: A combined biomarker and numerical modelling approach, *Earth and Planetary Science Letters* 306: 137-148

Röthlisberger R, Abram N (2009) Sea-ice proxies in Antarctic ice cores, PAGES news 17(1): 24-26